

Well Inspection Dual View Camera System GLF-UDC-V10S

Product Features

- Equipped with 2 cameras
- Portable electric winch
- Depth Sensor
- Bulk-storage memory
- Lithium batteries





Main Specifications

Model	GLF-UDC-V10S
Brand name	Granfoo
Image Sensor	1/4" HD CMOS
Resolution	700TVL
Signal type	Analog camera
Technology	Infrared
Working Depth	0-500M
Dimensions	Φ 62mm×610mm
Screen size	10" LCD screen
Cables	Φ 8.5mm Length500m
Battery capacity	8800mA
Working temperature	-10-50°
Housing Material	Stainless steel ;aluminum alloy; titanium alloy

	1. Equipped with 2 cameras, one on the bottom 180 degree, another on the side 360 degree 2. Out dimensions: $\Phi 62 \times 610 \text{mm}$ 3. Image Sensor: 1/4" CMOS 4. Resolution: 700TVL 5. Sapphire lens to protect the glass, camera made by stainless steel 6. Depth : 0-500m 7. 6 pcs light beside bottom lens and side lens.
	1. Portable electric winch 2. Wire Diameter: $\Phi 8.5 \text{mm}$ 3. Power supply: DC24V or AC110V/AC240V 4. Can provide 200 meters/300meters/500 meters
	1. 10" LCD screen 2. 2 Channel video input interface (downside and rotating camera) 3. High-definition DVR system with 128G hard disk drive and keyboard. 4. Output: Audio and Video Wire lift Speed can be adjusted

Product Show



Packing List

1. 1 pcs Dual camera
2. 100m~500m cable
3. 1 pcs Electric winch
4. 1 pcs Control box